



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/796,181

03/10/2004

Kenji Tani

1560-0411P

3272

2292 7590 09/25/2009
BIRCH STEWART KOLASCH & BIRCH
PO BOX 747
FALLS CHURCH, VA 22040-0747

EXAMINER

SARPONG, AKWASI

ART UNIT

PAPER NUMBER

2625

NOTIFICATION DATE

DELIVERY MODE

09/25/2009

ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

mailroom@bskb.com

DETAILED ACTION

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1-8, 13-70, 75-92 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hirano (2003/0105950) and further in view of Huang (7366301).

Claim 1-4, Hirano discloses an image processing method which uses an image processing apparatus (**Section 0129, apparatus 100 shown in Fig. 1**) for receiving color image data so as to store the data into a storage section (**Section 0114, electronic documents are stored into database 109 and 110**) and then performing the output processing of the color image data stored in said storage section, (**Section 0114, - thus the electronic document is retrieved to be further processed**) said method comprising the steps of:

authenticating a requestor of the output processing of the received color image data (**Section 0489, thus authentication process takes place within computer 950**)

NB: Understand that Computer 950 is an example of Apparatus 100.

extracting a specific color portion of the received color image data, when the authentication is not completed and deleting the extracted specific color portion from the

Art Unit: 2625

received color image data, **(Section 0489, thus if the user's authentication is not complete then the secret information (Specific color portion) is concealed)**

(NB: Understand that the secret information portion has to be extracted before it can be deleted or concealed and it is inherent that, in printing, the image data/secret information will be represented by the color (e.g., C or Y or M or K) that is to be deposited onto a print medium; by extracting the secret information must also at the same time extracting the color ink information that is to be printed onto the print medium or other wise, the color ink will be printed if not extracted) wherein

the specific color portion is output to be visible for the requestor, when the authentication is completed. **(Section 0494 lines 4-7 thus in the authentication is complete then the whole image data is outputted or displayed).**

Hirano does not disclose that the color image data comprises a plurality of colors, and consists of the specific color portion and a non-specific color portion other than the specific color portion,

the specific color portion is represented by a specific color among the plurality of colors.

the non-specific color portion is represented by a non-specific color, other than the specific color, among the plurality of colors.

Huang disclose that the color image **(Col. 13 lines 31-33- thus the bill of lading is the whole color image)** data comprises a plurality of colors, **(Col. 13 lines 42-45- thus bill of lading definitely has more than 2 color namely either RGB or CMYK)**

and consists of the specific color portion (**Optical Watermark as described in Col. 13 lines 41-45**) and a non-specific color portion (**the other part of document 605 shown in Fig. 6- please see Col. 13 lines 35-40**) other than the specific color portion (**NB. The optical watermark is different from the other part of the document**)

the specific color portion is represented by a specific color among the plurality of colors. (**Col. 13 lines 40-45- thus the colors represented within the document for example can be CMYK and RGB and it is clear that the optical watermark**)

the non-specific color portion (**the other part of document 605 shown in Fig. 6- please see Col. 13 lines 35-40**) is represented by a non-specific color, (**Part of the colors outside the watermark portion of the bill of lading clearly has some colors- please see Col. 13 lines 40-46**) other than the specific color, among the plurality of colors (**NB. The optical watermark is different from the other part of the document**). Therefore it will be obvious to one ordinary skilled in the art at the time the invention was made to modify Hirano's image data to include Huang's pluralities of colors such as RGB and CMYK so that the secret information can be distinguished from the non-secret information. The motivation for the modification is to prevent forging of some confidential document as such bill of lading or a check.

Claim 5-8, Hirano discloses an image processing method which uses an image processing apparatus (**Section 0129, apparatus 100 shown in Fig. 1**) for receiving color image data so as to store the data into a storage section (**Section 0114,**

Art Unit: 2625

electronic documents are stored into database 109 and 110) and then performing-
the output processing of the color image data stored in said storage section **(Section 0114, - thus the electronic document is retrieved to be further processed) or**
alternatively the output processing with the exclusion of a specific color, said method comprising the steps of:

acquiring specific color information concerning the specific color of the received color image data; **(Section 0486, thus the categories and keywords are information used to look for the image data stored in the database, hence if the image have some color then the information will also have some color information)**

authenticating- a requestor of the output processing of the color image data the specific color information of which is acquired **(Section 0489, thus authentication process takes place within computer 950).**

extracting a specific color portion of the received color image data; and deleting the extracted specific color portion from the received color image data, when the authentication is failed **(Section 0489, thus if the user's authentication is not complete then the secret information (Specific color portion) is concealed)**

(NB: Understand that the secret information portion has to be extracted before it can be deleted or concealed and it is inherent that, in printing, the image data/secret information will be represented by the color (e.g., C or Y or M or K) that is to be deposited onto a print medium; by extracting the secret information must also at the same time extracting the color ink information that is to be

printed onto the print medium or other wise, the color ink will be printed if not extracted) wherein

the specific color portion is output to be visible for the requestor, when the authentication is completed. **(Section 0494 lines 4-7 thus in the authentication is complete then the whole image data is outputted or displayed).**

Hirano does not disclose that the color image data comprises a plurality of colors, and consists of the specific color portion and a non-specific color portion other than the specific color portion,

the specific color portion is represented by a specific color among the plurality of colors.

the non-specific color portion is represented by a non-specific color, other than the specific color, among the plurality of colors.

Huang disclose that the color image **(Col. 13 lines 31-33- thus the bill of lading is the whole color image)** data comprises a plurality of colors, **(Col. 13 lines 42-45- thus bill of lading definitely has more than 2 color namely either RGB or CMYK)** and consists of the specific color portion **(Optical Watermark as described in Col. 13 lines 41-45)** and a non-specific color portion **(the other part of document 605 shown in Fig. 6- please see Col. 13 lines 35-40)** other than the specific color portion **(NB. The optical watermark is different from the other part of the document)**

the specific color portion is represented by a specific color among the plurality of colors. **(Col. 13 lines 40-45- thus the colors represented within the document for example can be CMYK and RGB and it is clear that the optical watermark)**

the non-specific color portion **(the other part of document 605 shown in Fig. 6- please see Col. 13 lines 35-40)** is represented by a non-specific color, **(Part of the colors outside the watermark portion of the bill of lading clearly has some colors- please see Col. 13 lines 40-46)** other than the specific color, among the plurality of colors **(NB. The optical watermark is different from the other part of the document)**. Therefore it will be obvious to one ordinary skilled in the art at the time the invention was made to modify Hirano's image data to include Huang's pluralities of colors such as RGB and CMYK so that the secret information can be distinguished from the non-secret information. The motivation for the modification is to prevent forging of some confidential document as such bill of lading or a check.

Claim 13-16, Hirano in view of Huang discloses wherein the image processing apparatus further comprising a deleting section **(Hirano: the portion of Computer 950 that deletes or conceals the secret information when the authentication fails- see Section 0489)** for deleting the specific color portion which is stored in said storage section and the output processing of which is completed, once the output processing is completed. **(Hirano: Section 0489- thus the secret information in document or image 901 is deleted or concealed if the authentication fails)**

Claim 17-20, Hirano in view of Huang discloses wherein the image processing apparatus further
an encrypting section **(Hirano: Fig. 1 Section 104)** for encrypting the specific color

portion to be stored into said storage section. **(Hirano: Section 0113- thus the encryption section encrypts image)**

Claim 21-28, Hirano in view of Huang discloses wherein the image processing apparatus further comprising a specific color reception section for receiving the specification of a specific color. **(Hirano: the data input unit 101 shown in fig. 1 is used to input image data into the system or be stored into the database).**

Claim 29-32 Hirano in view of Huang discloses wherein the image processing wherein importance levels are set for said specific colors. **(Hirano: Section 0493, lines 1-5, thus as the secret information is been embedded into document 901, the secret information is set as an importance level than the other parts of the document)**

NB: Understand that the secret information is set as an importance level since it is been protected from unauthorized users- Please see Section 0495.

Claims 33-37, Hirano in view of Huang discloses wherein said specific color portion is a character portion in a specific color. **(Hirano: Section 0494- the secret information is a character as it is displayed on a character display portion also see Section 0114 and database 109)**

Claims 38-40, Hirano in view of Huang discloses wherein said specific color portion is a graphic portion containing a specific color. **(Hirano: Fig. 2 El. 209 shown**

a portion of the database in the server which is assign to storing only image portion).

Claims 41-44, Hirano in view of Huang discloses wherein said output stopping section replaces the specific color portion with a predetermined mark. (Hirano: **Section 0489- thus the “asterisks” is a predetermined mark used as an indication of the image portion that has been deleted as shown in Fig. 73).**

Claim 45-48, Hirano in view of Hirano discloses an image processing apparatus that further comprising a notifying section for notifying the output stop of the specific color portion, when the output of the specific color portion is stopped. (Hirano: **Section 0489 portion of the authentication section that replace the secret information with the characters “astericks” because that is the indication that authentication was incomplete and therefore it has stopped).**

Claim 49-50, Hirano discloses an image processing apparatus (Hirano: **Section 0129, apparatus 100 shown in Fig. 1)** for receiving color image data so as to store the data into a storage section (Hirano: **Section 0114, electronic documents are stored into database 109 and 110)** and then performing output processing including the transmission of the color image data stored in said storage section, (Hirano: **Section 0114, - thus the electronic document is retrieved to be further processed)** said apparatus comprising:

a destination storing section for storing a destination to which the transmission of a specific color portion of the received color image data is allowed; **(Section 0312- thus for terminal 800 to transmit electronic document to a second user terminal 820, the first terminal at least have to know the IP address of the second terminal and therefore have the IP address stored in the database)**

an extracting section for extracting the specific color portion of the received color image data when the destination of the received color image data is not stored in said destination storing section and **(Section 0489, thus if the user's computer information is not available then there will not be any a destination for transmission and therefore authentication will not be complete then the secret information (Specific color portion) is concealed)**

(NB: Understand that the secret information portion has to be extracted before it can be deleted or concealed and it is inherent that, in printing, the image data/secret information will be represented by the color (e.g., C or Y or M or K) that is to be deposited onto a print medium; by extracting the secret information must also at the same time extracting the color ink information that is to be printed onto the print medium or other wise, the color ink will be printed if not extracted).

an output stopping section for deleting the extracted specific color portion from the received color image data, wherein

the specific color portion is output to be visible, when the destination to which the transmission of the specific color portion of the received color image data is allowed

Art Unit: 2625

is stored in the destination storing section. **(Section 0494 lines 4-7 thus when the authentication is complete then the whole image data is outputted or displayed).**

Hirano does not disclose that the color image data comprises a plurality of colors, and consists of the specific color portion and a non-specific color portion other than the specific color portion,

the specific color portion is represented by a specific color among the plurality of colors.

the non-specific color portion is represented by a non-specific color, other than the specific color, among the plurality of colors.

Huang disclose that the color image **(Col. 13 lines 31-33- thus the bill of lading is the whole color image)** data comprises a plurality of colors, **(Col. 13 lines 42-45- thus bill of lading definitely has more than 2 color namely either RGB or CMYK)** and consists of the specific color portion **(Optical Watermark as described in Col. 13 lines 41-45)** and a non-specific color portion **(the other part of document 605 shown in Fig. 6- please see Col. 13 lines 35-40)** other than the specific color portion **(NB. The optical watermark is different from the other part of the document)**

the specific color portion is represented by a specific color among the plurality of colors. **(Col. 13 lines 40-45- thus the colors represented within the document for example can be CMYK and RGB and it is clear that the optical watermark)**

the non-specific color portion **(the other part of document 605 shown in Fig. 6- please see Col. 13 lines 35-40)** is represented by a non-specific color, **(Part of the**

colors outside the watermark portion of the bill of lading clearly has some colors- please see Col. 13 lines 40-46) other than the specific color, among the plurality of colors **(NB. The optical watermark is different from the other part of the document)**. Therefore it will be obvious to one ordinary skilled in the art at the time the invention was made to modify Hirano's image data to include Huang's pluralities of colors such as RGB and CMYK so that the secret information can be distinguished from the non-secret information. The motivation for the modification is to prevent forging of some confidential document as such bill of lading or a check.

Claim 51-56, Hirano in view of Huang discloses an image processing apparatus wherein said output processing includes the transmission of the image data, and wherein said apparatus further comprises an encrypting section **(Fig. 1 Section 104)** for encrypting the specific color portion of the image data to be transmitted. **(Section 0113- thus the encryption section encrypts image)**.

Claim 57-62, Hirano in view of Huang discloses an image processing apparatus that further comprising a transmitting section **(Hirano: Transmitting side of terminal 820 which is the same as the user side shown in Fig. 70 or apparatus 100 in Fig. 1)** for transmitting specific color information concerning the specific color. **(Hirano: Section 0314-paper document 823)**

Claim 63-66, Hirano discloses an image processing apparatus (**Section 0129, apparatus 100 shown in Fig. 1**) for receiving color image data so as to store the data into a storage section (**Section 0114, electronic documents are stored into database 109 and 110**) and then performing output processing including the transmission of the color image data stored in said storage section (**Section 0114, - thus the electronic document is retrieved to be further processed**) or alternatively the transmission with the exclusion of a specific color, said apparatus comprising:

an acquiring section for acquiring specific color information concerning the specific color of the received color image data; (**Section 0486, thus the categories and keywords are information used to look for the image data stored in the database, hence if the image have some color then the information will also have some color information**)

a destination storing section for storing a destination to which the transmission of the specific color portion of the received color image data is allowed (**Section 0312- thus for terminal 800 to transmit electronic document to a second user terminal 820, the first terminal at least have to know the IP address of the second terminal and therefore have the IP address stored in the database**)

a determining section (**Section 0489, the authentication portion that makes the judgment whether the password and username provided by the user is valid**) for determining whether the destination of the specific color portion of the received color image data the specific color information of which is acquired by said acquiring section

Art Unit: 2625

is stored in said destination storing section or not; **(Section 0489- thus if the destination is found then authentication is complete if it is not found then authentication is incomplete)** an extracting section **(Section 0482, the portion of server 900 that extract image data 904 from document 901)** for extracting the specific color portion of the received color image data; and an output stopping section **(Section 0489- thus the portion of Computer 950 that conceal or deletes the secret information from the document 901 when authentication fails)** for deleting the extracted specific color portion when said determining section determines that the destination of the specific color portion_of the received color image data is not stored in- said the destination storing section, **(Section 0489, thus if the user's computer information is not available then there will not be any a destination for transmission and therefore authentication will not be complete then the secret information (Specific color portion) is concealed or deleted)**

(NB: Understand that the secret information portion has to be extracted before it can be deleted or concealed and it is inherent that, in printing, the image data/secret information will be represented by the color (e.g., C or Y or M or K) that is to be deposited onto a print medium; by extracting the secret information must also at the same time extracting the color ink information that is to be printed onto the print medium or other wise, the color ink will be printed if not extracted)

wherein the specific color portion is output to be visible, when the determining section determines that the destination of the specific color portion of the received color image data is stored in the destination storing section. **(Section 0494 lines 4-7 thus when the authentication is complete then the whole image data is outputted or displayed).**

Hirano does not disclose that the color image data comprises a plurality of colors, and consists of the specific color portion and a non-specific color portion other than the specific color portion,

the specific color portion is represented by a specific color among the plurality of colors.

the non-specific color portion is represented by a non-specific color, other than the specific color, among the plurality of colors.

Huang disclose that the color image **(Col. 13 lines 31-33- thus the bill of lading is the whole color image)** data comprises a plurality of colors, **(Col. 13 lines 42-45- thus bill of lading definitely has more than 2 color namely either RGB or CMYK)** and consists of the specific color portion **(Optical Watermark as described in Col. 13 lines 41-45)** and a non-specific color portion **(the other part of document 605 shown in Fig. 6- please see Col. 13 lines 35-40)** other than the specific color portion **(NB. The optical watermark is different from the other part of the document)**

the specific color portion is represented by a specific color among the plurality of colors. **(Col. 13 lines 40-45- thus the colors represented within the document for example can be CMYK and RGB and it is clear that the optical watermark)**

the non-specific color portion **(the other part of document 605 shown in Fig. 6- please see Col. 13 lines 35-40)** is represented by a non-specific color, **(Part of the colors outside the watermark portion of the bill of lading clearly has some colors- please see Col. 13 lines 40-46)** other than the specific color, among the plurality of colors **(NB. The optical watermark is different from the other part of the document)**. Therefore it will be obvious to one ordinary skilled in the art at the time the invention was made to modify Hirano's image data to include Huang's pluralities of colors such as RGB and CMYK so that the secret information can be distinguished from the non-secret information. The motivation for the modification is to prevent forging of some confidential document as such bill of lading or a check.

Claim 67-70, Hirano in view of Huang discloses wherein said specific color information is added to the received image data, while said acquiring section acquires the specific color information added to the received image data. **(Huang: Section 0486, thus the categories and keywords are information used to look for the image data stored in the database, hence if the image have some color then the information will also have some color information).**

Claims 75-78, Hirano in view of Huang discloses wherein the image processing wherein importance levels are set for said specific colors. **(Hirano: Section 0493, lines**

1-5, thus as the secret information is been embedded into document 901, the secret information is set as an importance level than the other parts of the document)

NB: Understand that the secret information is set as an importance level since it is been protected from unauthorized users- Please see Section 0495.

Claim 79-84, Hirano in view of Huang discloses an information processing apparatus (Section 0129, apparatus 100 shown in Fig. 1) for transmitting image data to the image processing apparatus (a document is transmitted from the first user terminal to the second user terminal-see Section 0312) wherein said information processing apparatus comprising:

a reception section (Section 0312- the portion of the second user terminal that receives the transmitted document) for receiving specific color information concerning a specific color (Section 0488- understand that image data 904 inherently will have a color in it) and a converting section (Image analyzing section 1002 shown in Fig. 74) for converting into said specific color a predetermined color in the image data to be transmitted to said image processing apparatus. (Section 0502- thus image data 901 before it will be printed will have to processed to get the colors within the pictures, understand that inherently the picture will be made of at least a black color)

Claim 85-88, Hirano in view of Huang discloses an information processing apparatus **(Hirano: Section 0129, apparatus 100 shown in Fig. 1)** for transmitting image data to the image processing apparatus **(Hirano: a document is transmitted from the first user terminal to the second user terminal-see Section 0312)**

wherein said information processing apparatus comprising:

a reception section **(Hirano: Section 0312- the portion of the second user terminal that receives the transmitted document)** for receiving specific color information concerning a specific color of the image data to be transmitted, **(Hirano: Section 0488- understand that image data 904 inherently will have a color in it and also contains XML 902, XSL 903 and data image 904)**

and wherein said information processing apparatus transmits the image data and the specific color information received by said reception section. **(Hirano: Section 0486, if the whole document 901 is transmitted then it will include XML 902, XSL 903 and data image 904 as clearly shown in Fig. 70)**

Claim 89-92, Hirano in view of Huang discloses information processing apparatus that further comprising:

an adding section **(Hirano: the portion of server 900 that embeds secret information into document 901)** for adding the specific color information received by said reception section to the image data to be transmitted, **(Hirano: Section 0491, thus the secret information is embedded or integrated into document 901)** wherein said information processing apparatus transmits the image data to which the specific color

Art Unit: 2625

information is added by said adding section. **(Hirano: Section 0493, thus secret information is embedded into the document 901 by server 900 and then document 901 together with embedded secret information is transmitted to computer 950)**

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 9-12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hirano (2003/0105950) in view of Huang (7366301) and further in view of Li (20040119726).

Claim 9-12, Hirano in view of Huang does not disclose wherein said storage section comprises: a semiconductor storage device for storing the specific color portion of the received image data; and a magnetic storage device for storing a non-specific color portion other than the specific color portion of the received image data.

Li discloses an image processing apparatus **(Section 0053, lines 1-2, Printer 102 shown in Fig. 1A)** wherein said storage section **(Section 0054, line 3, Computer storage media)** comprises: a semiconductor storage device for storing the specific color portion of the received image data **(Section 0054, lines 5-9, RAM and ROM shown in Fig. 1B)** and a magnetic storage device for storing a non-specific color portion other than the specific color portion of the received image data. **(Section 0054,**

Art Unit: 2625

lines 10-16, Magnet disc such as hard disk or a floppy disk can also be used to store specific information). Therefore it will be obvious to one ordinary skilled in the art at the time the invention was made to modify Hirano's database 1035 to be replaced by Li's storage media so that the computer 950 will have the both semiconductor and Magnetic storage medium. This will enable users to have control over their documents that matter to them.

Claim 71-74, Hirano in view of Huang does not discloses wherein a plurality of colors is used as said specific color.

Li discloses wherein a plurality of colors is used as said specific color. **(Section 0055- color components such as Cyan, magenta, yellow are parts of the image stored that is going to be printed).** Therefore it will be obvious to one ordinary skilled in the art at the time the invention was made to modify Hirano's secret information (i.e specific color) to include color components such as Cyan, magenta and yellow. The motivation for doing this to give the document multiple colors and makes it beautiful.

Response to Arguments

1. Applicant's arguments filed 07/08/2009 have been fully considered but they are not persuasive.

Regarding Claims 1 applicant argues that the cited reference fails to disclose or teach the limitation extracting a specific color portion of received color image data when the authentication is not completed.

In reply, Examiner respectfully disagree because extracting a specific color portion of the received color image data, when the authentication is not completed and deleting the extracted specific color portion from the received color image data, **(Section 0489, thus if the user's authentication is not complete then the secret information (Specific color portion) is concealed)**

(NB: Understand that the secret information portion has to be extracted before it can be deleted or concealed and it is inherent that, in printing, the image data/secret information will be represented by the color (e.g., C or Y or M or K) that is to be deposited onto a print medium; by extracting the secret information must also at the same time extracting the color ink information that is to be printed onto the print medium or other wise, the color ink will be printed if not extracted).

Also, the amended claims as discussed in the Office action is also taught by the cited prior art. Thus Hirano does not disclose that the color image data comprises a plurality of colors, and consists of the specific color portion and a non-specific color portion other than the specific color portion,

the specific color portion is represented by a specific color among the plurality of colors.

the non-specific color portion is represented by a non-specific color, other than the specific color, among the plurality of colors.

Huang disclose that the color image **(Col. 13 lines 31-33- thus the bill of lading is the whole color image)** data comprises a plurality of colors, **(Col. 13 lines 42-45-**

thus bill of lading definitely has more than 2 color namely either RGB or CMYK)
and consists of the specific color portion **(Optical Watermark as described in Col. 13 lines 41-45)** and a non-specific color portion **(the other part of document 605 shown in Fig. 6- please see Col. 13 lines 35-40)** other than the specific color portion **(NB. The optical watermark is different from the other part of the document)**

the specific color portion is represented by a specific color among the plurality of colors. **(Col. 13 lines 40-45- thus the colors represented within the document for example can be CMYK and RGB and it is clear that the optical watermark)**

the non-specific color portion **(the other part of document 605 shown in Fig. 6- please see Col. 13 lines 35-40)** is represented by a non-specific color, **(Part of the colors outside the watermark portion of the bill of lading clearly has some colors- please see Col. 13 lines 40-46)** other than the specific color, among the plurality of colors **(NB. The optical watermark is different from the other part of the document)**. Therefore it will be obvious to one ordinary skilled in the art at the time the invention was made to modify Hirano's image data to include Huang's pluralities of colors such as RGB and CMYK so that the secret information can be distinguished from the non-secret information. The motivation for the modification is to prevent forging of some confidential document as such bill of lading or a check.

Conclusion

2. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to AKWASI M. SARPONG whose telephone number is (571)270-3438. The examiner can normally be reached on Monday-Friday 8:00am-5:00pm est.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, King Poon can be reached on 571-272-7440. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2625

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/King Y. Poon/
Supervisory Patent Examiner, Art Unit 2625

AMS
09/17/2009

Application/Control Number: 10/796,181
Art Unit: 2625

Page 25

Application/Control Number: 10/796,181
Art Unit: 2625

Page 26